




















Stand Alone DVR

Picture	Model	Specifications	Unit Price USD			
			1-9	10-49	50-99	100+
MJPEG-4 Compression						
	FB-3504 4-Channel	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Fixed HDD, support more than 200G Motion Detection	102	99	96	93
	FB-3502 4-Channel	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Movable HDD, support more than 200G Motion Detection	108	104	101	98
	FB-3503 4-Channel	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Movable HDD, support more than 200G Motion Detection, IR control	111	107	105	103



	FB-3313T 4-Channel	PTZ	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G Motion Detection、 data backup via USB 2.0 port、 PTZ control、 IR remote controller(optional)	121	118	114	111
	FB-3313A 4-channel	PTZ 1 Audio	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G Motion Detection、 data backup via USB 2.0 port、 PTZ control、 IR remote controller(optional) 、 1-channel audio	129	125	122	119
	FB-3313V 4-Channel	PTZ VGA	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G Motion Detection、 data backup via USB 2.0 port、 PTZ control、 IR remote controller(optional) 、 VGA output	136	133	130	127
	FB-3313AV 4-Channel	PTZ 1 Audio VGA	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G Motion Detection、 data backup via USB 2.0 port、 PTZ control、 IR remote controller(optional) 、 1-channel audio、 VGA output	144	141	138	135
	FB-3313L 4-Channel	PTZ LAN	MJPEG Compression 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G Motion Detection、 data backup via USB 2.0 port、 PTZ control、 IR remote controller(optional)、 network function	172	170	167	164

	FB-3316T 4-Channel	PTZ	<p>MJPEG Compression</p> <p>1.Video:4 Channel input,2 Channel output</p> <p>2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark</p> <p>3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD</p> <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control</p>	133	130	127	124
	FB-3316A 4-Channel	PTZ 1 Audio	<p>MJPEG Compression</p> <p>1.Video:4 Channel input,2 Channel output</p> <p>2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark</p> <p>3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD</p> <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 1-channel audio</p>	141	138	135	132
	FB-3316V 4-Channel	PTZ VGA	<p>MJPEG Compression</p> <p>1.Video:4 Channel input,2 Channel output</p> <p>2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark</p> <p>3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD</p> <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 VGA output</p>	149	146	142	139
	FB-3316AV 4-Channel	PTZ 1 Audio VGA	<p>MJPEG Compression</p> <p>1.Video:4 Channel input,2 Channel output</p> <p>2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark</p> <p>3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD</p> <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 1-channel audio、 VGA output</p>	156	153	150	147
	FB-3316L 4-Channel	PTZ LAN	<p>MJPEG Compression</p> <p>1.Video:4 Channel input,2 Channel output</p> <p>2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark</p> <p>3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD</p> <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 network function</p>	187	184	181	178

	<p>FB-3317 Double 4-Channel Switch</p>	<p>MJPEG Compression 1.Video:8 Channel input,2 Channel output (can display &record 4 channel one time) 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional)</p>	133	130	127	124
	<p>FB-5604 4-Channel</p>	<p>MJPEG Compression 1. Video/Audio:4 Channel video input/2 Channel output,1Channel audio input/1Channel output Monitoring:100FPS,playback:100FPS 2. Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3. HDD: Removable HDD rack (Support more than 200G) 4. Flexible display: PIP, full screen, quad. Auto switch, playback & display on one screen 5.Network function: remote control DVR(monitored, recording, playback) Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 1-channel audio、 network function</p>	224	217	209	201
	<p>FB-5608 8-Channel</p>	<p>MJPEG Compression 1. Video/Audio:8 Channel video input/ 2 Channel output,1Channel audio input/1Channeloutput Monitoring:200IPS,playback:100IPS 2. Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3. HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD 4. Flexible display: PIP, full screen, quad. Auto switch, playback & display on one screen 5.Network function: remote control DVR(monitored ,recording, playback) Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 1-channel audio、 network function</p>	372	356	341	325

	<p>FB-5616 16-Channel</p>	<p>MJPEG Compression</p> <ol style="list-style-type: none"> 1. Video/Audio:16 Channel video input/ 2 Channel output,1Channel audio input/1Channel output Monitoring:400IPS,playback:100IPS 2. Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3. HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD S-Vi-Deo output 4. Flexible display: PIP, full screen, quad. Auto switch, playback & display on one screen 5.Network function: remote control DVR(monitored ,recording, playback) <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional) 、 PTZ control、 1-channel audio、 network function</p>	<p>403</p>	<p>387</p>	<p>372</p>	<p>356</p>
	<p>FB-3342 4-Channel</p>	<p>MJPEG Compression</p> <ol style="list-style-type: none"> 1.Video:4 channel input,2 channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3.HDD: Support more than 200G 4. 8" color LCD monitor <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional)</p>	<p>232</p>	<p>224</p>	<p>217</p>	<p>209</p>
	<p>FB-3343 4-Channel</p>	<p>MJPEG Compression</p> <ol style="list-style-type: none"> 1.Video:4 Channel input,2 Channel output 2.Recording Mode: 24hrs.continuous、 Motion detection、 sensor triggered with pre-alarm and watermark 3. HDD: Removable HDD rack (Support more than 200G).Can connect another fixed HDD 4. 10.4" color LCD monitor <p>Motion Detection、 data backup via USB 2.0 port、 IR remote controller(optional)</p>	<p>294</p>	<p>286</p>	<p>279</p>	<p>271</p>

H.264 compression

	<p>FB-3654 4-Channel</p>	<ol style="list-style-type: none"> 1.H.264 video compression 2.4 CH video input, effect adjustable. 4 CH audio input, 1 CH audio output 3.Support 4 network users to view at the same time 4.DSP adopts T1 DM642, dual stream compression excellent performance 5.Multifunctional(recording , monitoring, playback and network recording at the same time) 6.Support network monitoring and operation 7.Support PTZ decoder 8.Support motion detection and sensor triggered with pre-alarm and watermark 9.Movable HDD or C-D/RW optional 10.Mask function when real time 11.Support 4 IDE HDD 12.Support USB data backup and network data backup 13.Support IR control 	<p>356</p>	<p>348</p>	<p>341</p>	<p>333</p>
	<p>FB-3624 4-Channel</p>	<ol style="list-style-type: none"> 1.H.264 video compression 2.4 CH video input, effect adjustable. 4 CH audio input, 1 CH audio output 3.Support 4 network users to view at the same time 4.DSP adopts T1 DM642, dual stream compression excellent performance 5.Multifunctional(recording , monitoring, playback and network recording at the same time) 6.Support network monitoring and operation 7.Support PTZ decoder 8.Support motion detection and sensor triggered with pre-alarm and watermark 9.Movable HDD or C-D/RW optional 10.Mask function when real time 11.Support 4 IDE HDD 12.Support USB data backup and network data backup 13.Support IR control 	<p>366</p>	<p>358</p>	<p>351</p>	<p>343</p>

 <p>Without Audio</p>	FB-8804S 4-Channel	1.H.264 video compression 2.Support multi-user view at the same time 3.Adopts high integration, good performance, low power consumption DSP processor	480	465	449	434
	FB-8008S 8-Channel	4.Multifunctional(recording , monitoring, playback and network recording at the same time) 65.Pre-alarm and alarm of HDD troubles(SMART technology) 6..Every channel is real-time 25fps independent hardware compression	604	588	573	557
	FB-8016S 16-Channel	7. Record mode: Manual, timing, alarm, motion detection and command trigger etc., 8.RTOS embedded operation system 9.Powerful network performance and function Frozen protection technology on HDD guarantee data safety	759	743	728	712
	FB-8804C 4-Channel	1.H.264 video compression 2.4/8/16 CH video input ,1CH video output; 4/8/16audio input,1CH audio output 4.Adopts high integration, good performance, low power consumption DSP processor	511	495	480	465
	FB-8008C 8-Channel	5.Multifunctional(recording , monitoring, playback and network recording at the same time) 6.Pre-alarm and alarm of HDD troubles(SMART technology) 7.Every channel is real-time 25fps independent hardware compression 8. Record mode: Manual, timing, alarm, motion detection and command trigger etc., 9.RTOS embedded operation system	712	697	681	666
	FB-8016C 16Channel	10.Powerful network performance and function Every video input channel can max support D1 differentiation	805	790	774	759

Notes: FB-5604/FB-5608/FB-5616: 1.Add USB USD10/pc

2. Add VGA USD20/pc

3. Add USB&VGA USD30/pc

4. Add CD-RW USD40/pc

4-1-802, FUSHI ROAD NO.35, HAIDIAN DISTRICT, BEIJING, CHINA 100049

TEL.: 86-10-88205271/88205273/88205217 FAX: 86-10-88205207

WWW.FABLEINTER.COM