

Quotation of LED Strip

3528 SMD DC12V 8mm 60PCS/M


Model	Color	LED Qty.	Color Temp.	Wavelength (nm)	Lumen (lm)	PCB Size	Input Volt.	Power	Beam Angle	IP Rate	Packing	Unit Pirce/m	Picture
Non-waterproof													
VS-3528R-30A	Red	60/m	/	620-630	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528Y-30A	Yellow	60/m	/	585-595	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528B-30A	Blue	60/m	/	455-470	30-36	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528G-30A	Green	60/m	/	510-525	76-96	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528P-30A	White	60/m	6000-7000K	/	180-220	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528W-30A	Warm White	60/m	3000-3500K	/	180-200	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$3.85	
VS-3528V-30A	Purple	60/m	/	400-435	30-50	500*8*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$6.83	
Waterproof IP67													
VS-3528R-30B	Red	60/m	/	620-630	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528Y-30B	Yellow	60/m	/	585-595	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528B-30B	Blue	60/m	/	455-470	30-36	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528G-30B	Green	60/m	/	510-525	76-96	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528P-30B	White	60/m	6000-7000K	/	180-220	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528W-30B	Warm White	60/m	3000-3500K	/	180-200	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$4.55	
VS-3528V-30B	Purple	60/m	/	400-435	30-50	500*8*0.22mm	DC12V	4.8w/m	120°	IP67	5m/reel	\$7.53	
Waterproof IP68													
VS-3528R-30D	Red	60/m	/	620-630	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS-3528Y-30D	Yellow	60/m	/	585-595	44-54	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS-3528B-30D	Blue	60/m	/	455-470	30-36	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS-3528G-30D	Green	60/m	/	510-525	76-96	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS-3528P-30D	White	60/m	6000-7000K	/	180-220	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS3528W-30D	Warm White	60/m	3000-3500K	/	180-200	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$4.90	
VS-3528V-30D	Purple	60/m	/	400-435	30-50	500*8*0.22mm	DC12V	4.8w/m	120°	IP68	5m/reel	\$7.88	

3528 SMD DC12V 8mm 120PCS/M

Model	Color	LED Qty.	Color Temp.	Wavelength (nm)	Lumen (lm)	PCB Size	Input Volt.	Power	Beam Angle	IP Rate	Packing	Unit Price/m	Picture
-------	-------	----------	-------------	-----------------	------------	----------	-------------	-------	------------	---------	---------	--------------	---------


Non-waterproof

VS-3528R-60A	Red	120/m	/	620-630	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528Y-60A0	Yellow	120/m	/	585-595	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528B-60A0	Blue	120/m	/	455-470	120-144	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528G-60A	Green	120/m	/	510-525	152-192	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528P-60A	White	120/m	6000-7000K	/	360-440	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528W-60A	Warm White	120/m	3000-3500K	/	360-400	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$6.83
VS-3528V-60A	Purple	120/m	/	400-435	60-100	500*8*0.22mm	DC12V	9.6w/m	120°	IP20	5m/reel	\$10.33




Waterproof IP67

VS-3528R-60B	Red	120/m	/	620-630	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528Y-60B	Yellow	120/m	/	585-595	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528B-60B	Blue	120/m	/	455-470	120-144	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528G-60B	Green	120/m	/	510-525	152-192	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528P-30B	White	120/m	6000-7000K	/	360-440	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528W-60B	Warm White	120/m	3000-3500K	/	360-400	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$7.53
VS-3528V-60B	Purple	120/m	/	400-435	60-100	500*8*0.22mm	DC12V	9.6w/m	120°	IP67	5m/reel	\$11.03





Waterproof IP68


VS-3528R-60D	Red	120/m	/	620-630	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528Y-60D	Yellow	120/m	/	585-595	88-108	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528B-60D	Blue	120/m	/	455-470	120-144	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528G-60D	Green	120/m	/	510-525	152-192	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528P-60D	White	120/m	6000-7000K	/	360-440	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528W-60D	Warm White	120/m	3000-3500K	/	360-400	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$7.88
VS-3528V-60D	Purple	120/m	/	400-435	60-100	500*8*0.22mm	DC12V	9.6w/m	120°	IP68	5m/reel	\$11.38



5050SMD DC12V 10mm 30PCS/M

Model	Color	LED Qty.	Color Temp.	Wavelength (nm)	Lumen (lm)	PCB Size	Input Volt.	Power	Beam Angle	IP Rate	Packing g	Unit Pirce/m	Picture
Non-waterproof													
VS-5050R-15A	Red	30/m	/	620-630	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050Y-15A	Yellow	30/m	/	585-595	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050B-15A	Blue	30/m	/	455-470	150-190	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050G-15A	Green	30/m	/	510-525	220-260	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050P-15A	White	30/m	6000-7000K	/	300-320	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050W-15A	Warm White	30/m	3000-3500K	/	200-230	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	
VS-5050V-15A	Purple	30/m	/	400-435		500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$9.80	
VS-5050RGB-15A	RGB	30/m	/	/	280-300	500*10*0.22mm	DC12V	7.2w/m	120°	IP20	5m/reel	\$6.13	


Waterproof IP67													
VS-5050R-15B	Red	30/m	/	620-630	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050Y-15B	Yellow	30/m	/	585-595	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050B-15B	Blue	30/m	/	455-470	150-190	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050G-15B	Green	30/m	/	510-525	220-260	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050P-15B	White	30/m	6000-7000K	/	300-320	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050W-15B	Warm White	30/m	3000-3500K	/	260-300	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	
VS-5050V-15B	Purple	30/m	/	400-435		500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$10.50	
VS-5050RGB-15B	RGB	30/m	/	/	280-310	500*10*0.22mm	DC12V	7.2w/m	120°	IP67	5m/reel	\$6.83	

Waterproof IP68													
VS-5050R-15D	Red	30/m	/	620-630	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050Y-15D	Yellow	30/m	/	585-595	200-240	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050B-15D	Blue	30/m	/	455-470	150-190	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050G-15D	Green	30/m	/	510-525	220-260	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050P-15D	White	30/m	6000-7000K	/	300-320	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050W-15D	Warm White	30/m	3000-3500K	/	260-300	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	
VS-5050V-15D	Purple	30/m	/	400-435		500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$10.85	
VS-5050RGB-15D	RGB	30/m	/	/	280-310	500*10*0.22mm	DC12V	7.2w/m	120°	IP68	5m/reel	\$7.18	

5050SMD DC12V 10mm 60PCS/M

Model	Color	LED Qty.	Color Temp.	Wavelength (nm)	Lumen (lm)	PCB Size	Input Volt.	Power	Beam Angle	IP Rate	Packing	Unit Pirce/m	Picture
Non-waterproof													
VS-5050R-30A	Red	60/m	/	620-630	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050Y-30A	Yellow	60/m	/	585-595	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050B-30A	Blue	60/m	/	455-470	280-300	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050G-30A	Green	60/m	/	510-525	420-440	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050P-30A	White	60/m	6000-7000K	/	620-640	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050W-30A	Warm White	60/m	3000-3500K	/	620-630	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
VS-5050V-30A	Purple	60/m	/	400-435		500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$14.53	
VS-5050RGB-30A	RGB	60/m	/	/	560-600	500*12*0.22mm	DC12V	14.4w/m	120°	IP20	5m/reel	\$9.63	
Waterproof IP67													
VS-5050R-30B	Red	60/m	/	620-630	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050Y-30B	Yellow	60/m	/	585-595	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050B-30B	Blue	60/m	/	455-470	280-300	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050G-30B	Green	60/m	/	510-525	420-440	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050P-30B	White	60/m	6000-7000K	/	620-640	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050W-30B	Warm White	60/m	3000-3500K	/	620-630	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
VS-5050V-30B	Purple	60/m	/	400-435		500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$15.23	
VS-5050RGB-30B	RGB	60/m	/	/	560-620	500*12*0.22mm	DC12V	14.4w/m	120°	IP67	5m/reel	\$10.33	
Waterproof IP68													
VS-5050R-30D	Red	60/m	/	620-630	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050Y-30D	Yellow	60/m	/	585-595	380-420	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050B-30D	Blue	60/m	/	455-470	280-300	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050G-30D	Green	60/m	/	510-525	420-440	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050P-30D	White	60/m	6000-7000K	/	620-640	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050W-30D	Warm White	60/m	3000-3500K	/	620-630	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	
VS-5050V-30D	Purple	60/m	/	400-435		500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$15.58	
VS-5050RGB-30D	RGB	60/m	/	/	560-620	500*12*0.22mm	DC12V	14.4w/m	120°	IP68	5m/reel	\$10.68	

335SMD DC12V 5mm 60PCS/M

Model	Color	LED Qty.	Color Temp.	Wavelength (nm)	Lumen (lm)	PCB Size	Input Volt.	Power	Beam Angle	IP Rate	Packing	Unit Pirce/m	Picture
Non-waterproof													
VS-335R-30A	Red	60/m	/	620-630	44-54	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	
VS-335Y-30A	Yellow	60/m	/	585-595	44-54	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	
VS-3528B-30A	Blue	60/m	/	455-470	30-36	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	
VS-335G-30A	Green	60/m	/	510-520	72-96	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	
VS-335P-30A	White	60/m	6000-7000K	/	180-200	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	
VS-335W-30A	Warm White	60/m	3000-3500K	/	180-190	500*5*0.22mm	DC12V	4.8w/m	120°	IP20	5m/reel	\$7.35	

VAST-STAR CO., LTD.

Add:ShangCheng International Bulding, linan City, Hangzhou, ZheJiang Prov.,China

Tel: +86-571-23651002

Mobile phone:+86-15869177755

Fax: +86-571-23651001

Email:vastled@gmail.com

Skype:VASTLED