



Search

source package names

[all options](#)[>> Debian](#) [>> Packages](#) [>> experimental](#) [>> Source](#) [>> kde](#) [>> kde-l10n](#)[ [squeeze](#) ] [ [sid](#) ] [ [experimental](#) ]

# Source Package: kde-l10n (4:4.4.2-1)

## Experimental package

Warning: This package is from the **experimental** distribution. That means it is likely unstable or buggy, and it may even cause data loss. Please be sure to consult the [changelog](#) and other possible documentation before using it.

The following binary packages are built from this source package:

### [kde-i18n-ar](#)

Arabic (ar) internationalized files for KDE (transitional dummy package)

### [kde-i18n-bg](#)

Bulgarian (bg) internationalized files for KDE (transitional dummy package)

### [kde-i18n-ca](#)

Catalan (ca) internationalized files for KDE (transitional dummy package)

### [kde-i18n-cs](#)

Czech (cs) internationalized files for KDE (transitional dummy package)

### [kde-i18n-csb](#)

Kashubian (csb) internationalized files for KDE (transitional dummy package)

### [kde-i18n-da](#)

Danish (da) internationalized files for KDE (transitional dummy package)

### [kde-i18n-de](#)

German (de) internationalized files for KDE (transitional dummy package)

### [kde-i18n-el](#)

Greek (el) internationalized files for KDE (transitional dummy package)

### [kde-i18n-engb](#)

## Links for kde-l10n

### Debian Resources:

- [Bug Reports](#)
- [Developer Information \(PTS\)](#)
- [Debian Changelog](#)
- [Copyright File](#)

### Maintainers:

- [Debian Qt/KDE Maintainers](#) ([QA Page](#), [Mail Archive](#))
- [Ana Beatriz Guerrero Lopez](#) ([QA Page](#))
- [Modestas Vainius](#) ([QA Page](#))

### External Resources:

- [Homepage](#) [i18n.kde.org]

British English (en\_GB) internationalized files for KDE (transitional dummy package)

[kde-i18n-eo](#)

Esperanto (eo) internationalized files for KDE (transitional dummy package)

[kde-i18n-es](#)

Spanish (es) internationalized files for KDE (transitional dummy package)

[kde-i18n-et](#)

Estonian (et) internationalized files for KDE (transitional dummy package)

[kde-i18n-eu](#)

Basque (eu) internationalized files for KDE (transitional dummy package)

[kde-i18n-fi](#)

Finnish (fi) internationalized files for KDE (transitional dummy package)

[kde-i18n-fr](#)

French (fr) internationalized files for KDE (transitional dummy package)

[kde-i18n-fy](#)

Frisian (fy) internationalized files for KDE (transitional dummy package)

[kde-i18n-ga](#)

Irish Gaelic (ga) internationalized files for KDE (transitional dummy package)

[kde-i18n-gl](#)

Galician (gl) internationalized files for KDE (transitional dummy package)

[kde-i18n-he](#)

Hebrew (he) internationalized files for KDE (transitional dummy package)

[kde-i18n-hi](#)

Hindi (hi) internationalized files for KDE (transitional dummy package)

[kde-i18n-hr](#)

Croatian (hr) internationalized files for KDE (transitional dummy package)

[kde-i18n-hu](#)

Hungarian (hu) internationalized files for KDE (transitional dummy package)

[kde-i18n-is](#)

Icelandic (is) internationalized files for KDE (transitional dummy package)

[kde-i18n-it](#)

Italian (it) internationalized files for KDE (transitional dummy package)

[kde-i18n-ja](#)

Japanese (ja) internationalized files for KDE (transitional dummy package)

[kde-i18n-kk](#)

Kazakh (kk) internationalized files for KDE (transitional dummy package)

[kde-i18n-km](#)

Khmer (km) internationalized files for KDE (transitional dummy package)

[kde-i18n-ko](#)

Korean (ko) internationalized files for KDE (transitional dummy package)

[kde-i18n-lt](#)

Lithuanian (lt) internationalized files for KDE (transitional dummy package)

[kde-i18n-lv](#)

Latvian (lv) internationalized files for KDE (transitional dummy package)

[kde-i18n-mk](#)

Macedonian (mk) internationalized files for KDE (transitional dummy package)

[kde-i18n-nb](#)

Norwegian Bokmal (nb) internationalized files for KDE (transitional dummy package)

[kde-i18n-nds](#)

Low Saxon (nds) internationalized files for KDE (transitional dummy package)

[kde-i18n-nl](#)

Dutch (nl) internationalized files for KDE (transitional dummy package)

[kde-i18n-nn](#)

Norwegian Nynorsk (nn) internationalized files for KDE (transitional dummy package)

[kde-i18n-pa](#)

Punjabi (pa) internationalized files for KDE (transitional dummy package)

[kde-i18n-pl](#)

Polish (pl) internationalized files for KDE (transitional dummy package)

[kde-i18n-pt](#)

Portuguese (pt) internationalized files for KDE (transitional dummy package)

[kde-i18n-ptbr](#)

Brazilian Portuguese (pt\_BR) internationalized files for KDE (transitional dummy package)

[kde-i18n-ro](#)

Romanian (ro) internationalized files for KDE (transitional dummy package)

[kde-i18n-ru](#)

Russian (ru) internationalized files for KDE (transitional dummy package)

[kde-i18n-sk](#)

Slovak (sk) internationalized files for KDE (transitional dummy package)

[kde-i18n-sl](#)

Slovenian (sl) internationalized files for KDE (transitional dummy package)

[kde-i18n-sr](#)

Serbian (sr) internationalized files for KDE (transitional dummy package)

[kde-i18n-sv](#)

Swedish (sv) internationalized files for KDE (transitional dummy package)

[kde-i18n-tg](#)

Tajik (tg) internationalized files for KDE (transitional dummy package)

[kde-i18n-tr](#)

Turkish (tr) internationalized files for KDE (transitional dummy package)

[kde-i18n-uk](#)

Ukrainian (uk) internationalized files for KDE (transitional dummy package)

[kde-i18n-wa](#)

Walloon (wa) internationalized files for KDE (transitional dummy package)

[kde-i18n-zhcn](#)

Chinese Simplified (zh\_CN) internationalized files for KDE (transitional dummy package)

[kde-i18n-zhtw](#)

Chinese Traditional (zh\_TW) internationalized files for KDE (transitional dummy package)

[kde-l10n-ar](#)

Arabic (ar) localization files for KDE

[kde-l10n-bg](#)

Bulgarian (bg) localization files for KDE

[kde-l10n-ca](#)

Catalan (ca) localization files for KDE

[kde-l10n-catalencia](#)

Southern Catalan (Valencian) (ca@valencia) files for KDE

[kde-l10n-cs](#)

Czech (cs) localization files for KDE

[kde-l10n-csb](#)

Kashubian (csb) localization files for KDE

[kde-l10n-da](#)

Danish (da) localization files for KDE

[kde-l10n-de](#)

German (de) localization files for KDE

[kde-l10n-el](#)

Greek (el) localization files for KDE

[kde-l10n-engb](#)

British English (en\_GB) localization files for KDE

[kde-l10n-eo](#)

Esperanto (eo) localization files for KDE

[kde-l10n-es](#)

Spanish (es) localization files for KDE

[kde-l10n-et](#)

Estonian (et) localization files for KDE

[kde-l10n-eu](#)

Basque (eu) localization files for KDE

[kde-l10n-fi](#)

Finnish (fi) localization files for KDE

[kde-l10n-fr](#)

French (fr) localization files for KDE

[kde-l10n-fy](#)

Frisian (fy) localization files for KDE

[kde-l10n-ga](#)

Irish Gaelic (ga) localization files for KDE

[kde-l10n-gl](#)

Galician (gl) localization files for KDE

[kde-l10n-gu](#)

Gujarati (gu) localization files for KDE

[kde-l10n-he](#)

Hebrew (he) localization files for KDE

[kde-l10n-hi](#)

Hindi (hi) localization files for KDE

[kde-l10n-hr](#)

Croatian (hr) localization files for KDE

[kde-l10n-hu](#)

Hungarian (hu) localization files for KDE

[kde-l10n-id](#)

Indonesian (id) localization files for KDE

[kde-l10n-is](#)

Icelandic (is) localization files for KDE

[kde-l10n-it](#)

Italian (it) localization files for KDE

[kde-l10n-ja](#)

Japanese (ja) localization files for KDE

[kde-l10n-kk](#)

Kazakh (kk) localization files for KDE

[kde-l10n-km](#)

Khmer (km) localization files for KDE

[kde-l10n-kn](#)

Kannada (kn) localization files for KDE

[kde-l10n-ko](#)

Korean (ko) localization files for KDE

[kde-l10n-lt](#)

Lithuanian (lt) localization files for KDE

[kde-l10n-lv](#)

Latvian (lv) localization files for KDE

[kde-l10n-mai](#)

Maithili (mai) localization files for KDE

[kde-l10n-mk](#)

Macedonian (mk) localization files for KDE

[kde-l10n-ml](#)

Malayalam (ml) localization files for KDE

[kde-l10n-nb](#)

Norwegian Bookmal (nb) localization files for KDE

[kde-l10n-nds](#)

Low Saxon (nds) localization files for KDE

[kde-l10n-nl](#)

Dutch (nl) localization files for KDE

[kde-l10n-nn](#)

Norwegian Nynorsk (nn) localization files for KDE

[kde-l10n-pa](#)

Punjabi (pa) localization files for KDE

[kde-l10n-pl](#)

Polish (pl) localization files for KDE

[kde-l10n-pt](#)

Portuguese (pt) localization files for KDE

[kde-l10n-ptbr](#)

Brazilian Portuguese (pt\_BR) localization files for KDE

[kde-l10n-ro](#)

Romanian (ro) localization files for KDE

[kde-l10n-ru](#)

Russian (ru) localization files for KDE

[kde-l10n-si](#)

Sinhala (si) localization files for KDE

[kde-l10n-sk](#)

Slovakian (sk) localization files for KDE

[kde-l10n-sl](#)

Slovenian (sl) localization files for KDE

[kde-l10n-sr](#)

Serbian (sr) localization files for KDE

[kde-l10n-sv](#)

Swedish (sv) localization files for KDE

[kde-l10n-tg](#)

Tajik (tg) localization files for KDE

[kde-l10n-tr](#)

Turkish (tr) localization files for KDE

[kde-l10n-uk](#)

Ukrainian (uk) localization files for KDE

[kde-l10n-wa](#)

Walloon (wa) localization files for KDE

[kde-l10n-zhcn](#)






Chinese Simplified (zh\_CN) localization files for KDE

[kde-l10n-zhtw](#)

Chinese Traditional (zh\_TW) localization files for KDE

## Other Packages Related to kde-l10n



-  [kde-sc-dev-latest](#) (>= 4:4.4.2)  
ensure that the latest KDE Development Platform is installed
-  [cmake](#)  
A cross-platform, open-source make system
-  [debhelper](#) (>= 6)  
helper programs for debian/rules
-  [bzip2](#)  
high-quality block-sorting file compressor - utilities
-  [kdelibs5-dev](#) (>= 4:4.4)  
development files for the KDE Development Platform libraries

## Download kde-l10n

File	Size (in kB)	MD5 checksum
<a href="#">kde-l10n_4.4.2-1.dsc</a>	17.3 kB	391c23a336455600e69fe4289f874708
<a href="#">kde-l10n_4.4.2.orig-ar.tar.bz2</a>	3,359.0 kB	5e259934747ece01745aee55bd2c190d
<a href="#">kde-l10n_4.4.2.orig-bg.tar.bz2</a>	2,061.4 kB	10236c3c9f18587c6adf8767b5914222
<a href="#">kde-l10n_4.4.2.orig-ca.tar.bz2</a>	4,801.6 kB	f463507aa09e10760041c96a0a0be684
<a href="#">kde-l10n_4.4.2.orig-cavalencia.tar.bz2</a>	2,329.2 kB	f1e795233874baa3bb1b4669554193e0
<a href="#">kde-l10n_4.4.2.orig-cs.tar.bz2</a>	3,020.0 kB	ef69a6956bcee9d71c83ef0c657d6124
<a href="#">kde-l10n_4.4.2.orig-csb.tar.bz2</a>	520.7 kB	142c225f98eb23199e35ebf64c70f538
<a href="#">kde-l10n_4.4.2.orig-da.tar.bz2</a>	17,189.6 kB	2ce3ae03737d263776f4edd38b8272e0
<a href="#">kde-l10n_4.4.2.orig-de.tar.bz2</a>	20,364.0 kB	0076ed5eb55de81e2344e62141688bca
<a href="#">kde-l10n_4.4.2.orig-el.tar.bz2</a>	2,558.7 kB	513def0a0638c949f33b6f310cbcaa31
<a href="#">kde-l10n_4.4.2.orig-engb.tar.bz2</a>	3,985.5 kB	02800d90b17d91c732ad14449eea8d3c
<a href="#">kde-l10n_4.4.2.orig-eo.tar.bz2</a>	2,021.4 kB	1ea558fb858c6b40efbbd8b18a12a413
<a href="#">kde-l10n_4.4.2.orig-es.tar.bz2</a>	28,554.2 kB	472c2dcf2d9928d4d8ce65bf06ccef37
<a href="#">kde-l1</a>	9,031.2 kB	cf1005f7a65fb05dc221e18bec56cfe8

This page is also available in the following languages (How to set [the default document language](#)):

[Deutsch](#) [suomi](#) [français](#) [magyar](#) [日本語 \(Nihongo\)](#) [Nederlands](#) [Русский \(Russkij\)](#) [slovensky](#)

[svenska](#) [українська \(ukrajins'ka\)](#) [中文 \(Zhongwen,简\)](#)

---

To report a problem with the web site, e-mail [debian-www@lists.debian.org](mailto:debian-www@lists.debian.org). For other contact information, see the Debian [contact page](#).

Content Copyright © 1997 - 2010 [SPI Inc.](#); See [license terms](#). Debian is a [trademark](#) of SPI Inc. [Learn more about this site](#).

This service is sponsored by [Hewlett-Packard](#).